

emka[®]

MOTOROILS & GEAROILS



 **MADE IN GERMANY**

BIKES & QUADS



MOTORBIKE & QUAD

ENGINE OILS

4-stroke – mineral

Super Bike Engine 4T 10W30	3
Super Bike Engine 4T 10W40	
Super Bike Engine 4T 20W50	

4-stroke – Technosynthese

Super Bike Engine 4T TS 5W40	4
Super Bike Engine 4T TS 10W30	
Super Bike Engine 4T TS 10W40	
Super Bike Engine 4T TS 10W50	5
Super Bike Engine 4T TS 10W60	
Super Bike Engine 4T TS 15W50	
Super Bike Engine 4T TS 20W50	6

4-stroke – ester synthetic

Super Bike Engine 4T ES 5W40	7
Super Bike Engine 4T ES 10W30	
Super Bike Engine 4T ES 10W40	
Super Bike Engine 4T ES 10W50	8
Super Bike Engine 4T ES 15W50	
Super Bike Engine 4T ES 20W50	

4-stroke – off-road

Super Bike Engine 4T TQ 5W40	9
Super Bike Engine 4T TQ 10W40	
Super Bike Engine 4T TQ 10W50	

2-stroke

Super 2T Off-Road	10
Superpower Scooter 1:50	
Superpower Scooter 1:100	
Universal Two-Stroke SM	11

GEAR OILS

Super Bike Gear PRO 75W	12
Super Bike Gear PRO Extra 80W90	

FORK & SHOCK ABSORBER OILS

Super Bike Fork Oil-Series	13
----------------------------	----

MAINTENANCE PRODUCTS

EMKA Brake Cleaner	14
EMKA Clear Chain Spray	
EMKA PTFE Grease Spray	
EMKA Rust Remover with MoS2	15

Find the right engine oil
with the EMKA Oil Guide!

www.emka-oil.de



Super Bike Engine 4T 10W30



4-stroke motorbike engine oil

Super Bike Engine 4T 10W30 is a high-performance low viscosity engine oil for sophisticated and powerful 4-stroke motorbikes. It is characterized by excellent cold start properties and also ensures optimal lubrication during operation. It has also been equipped with an additive package that guarantees the reliable functioning of wet and oil-lubricated clutches. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SL/SJ/SH/SG; JASO MA2; Aprillia; BMW; Ducati; Honda; Kawasaki; Moto-Guzzi; Suzuki; Triumph; Yamaha

		VPE			VPE
Art. no.0880170	1 liter	12	Art. no. 0880120	60 liters	1
Art. no. 0880150	5 liters	4	Art. no. 0880110	205 liters	1
Art. no. 0880130	20 liters	1			

Super Bike Engine 4T 10W40



4-stroke motorbike engine oil

Super Bike Engine 4T 10W40 is a high-performance low viscosity engine oil for sophisticated and powerful 4-stroke motorbikes. It is characterized by excellent cold start properties and also ensures optimal lubrication during operation. It has also been equipped with an additive package that guarantees the reliable functioning of wet and oil-lubricated clutches. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SL/SJ/SH/SG; JASO MA2 T903:2006; Aprillia; BMW; Ducati; Honda; Kawasaki; Moto-Guzzi; Suzuki; Triumph; Yamaha

		VPE			VPE
Art. no. 0880070	1 liters	12	Art. no. 0880020	60 liters	1
Art. no. 0880050	5 liters	4	Art. no. 0880010	205 liters	1
Art. no. 0880030	20 liters	1			

Super Bike Engine 4T 20W50



4-stroke V-Twin motorbike engine oil

Super Bike Engine 4T 20W50 is a mineral engine oil for sophisticated 4-stroke V-Twin motorbikes, especially for use in air or water-cooled V-engines with a large cylinder capacity. It is characterized by its reliability and guarantees optimal lubrication. It also guarantees the functioning of wet and oil-lubricated clutches. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SL/SJ/SH/SG; JASO MA2; Harley Davidson; V-Twin Chopper; V-Twin Cruiser

		VPE			VPE
Art. no. 0880270	1 liter	12	Art. no. 0880220	60 liters	1
Art. no. 0880250	5 liters	4	Art. no. 0880210	205 liters	1
Art. no. 0880230	20 liters	1			

Super Bike Engine 4T TS 5W40



Technosynthese 4-stroke motorbike engine oil

Super Bike Engine 4T TS 5W40 is a high-performance low viscosity HC synthetic engine oil for sophisticated air and water-cooled 4-stroke motorbikes. It is characterized by excellent cold start properties and also ensures optimal wear protection during operation due to its good shear stability. It is also suitable for use in manual gearboxes and clutches. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SM/SL/SJ/SH; JASO MA2

		VPE
Art. no. 0880370	1 liter	12
Art. no. 0880350	5 liters	4
Art. no. 0880330	20 liters	1

		VPE
Art. no. 0880320	60 liters	1
Art. no. 0880310	205 liters	1

Super Bike Engine 4T TS 10W30



Technosynthese 4-stroke motorbike engine oil

Super Bike Engine 4T TS 10W30 is a high-performance low viscosity HC synthetic engine oil for sophisticated air and water-cooled 4-stroke motorbikes. It is characterized by excellent cold start properties and also ensures optimal wear protection during operation due to its good shear stability. It is also suitable for use in manual gearboxes and clutches. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SM/SL/SJ/SH; JASO MA2

		VPE
Art. no. 0880970	1 liter	12
Art. no. 0880950	5 liters	4
Art. no. 0880930	20 liters	1

		VPE
Art. no. 0880920	60 liters	1
Art. no. 0880910	205 liters	1

Super Bike Engine 4T TS 10W40



Technosynthese 4-stroke motorbike engine oil

Super Bike Engine 4T TS 10W40 is a high-performance low viscosity HC synthetic engine oil for sophisticated air and water-cooled 4-stroke motorbikes. It is characterized by excellent cold start properties and also ensures optimal wear protection during operation due to its good shear stability. It is also suitable for use in manual gearboxes and clutches. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SM/SL/SJ/SH; JASO MA2

		VPE
Art. no. 0880870	1 liter	12
Art. no. 0880850	5 liters	4
Art. no. 0880830	20 liters	1

		VPE
Art. no. 0880820	60 liters	1
Art. no. 0880810	205 liters	1

Super Bike Engine 4T TS 10W50



Technosynthese 4-stroke motorbike engine oil

Super Bike Engine 4T TS 10W50 is a high-performance low viscosity HC synthetic engine oil for sophisticated air and water-cooled 4-stroke motorbikes. It is characterized by excellent cold start properties and also ensures optimal wear protection during operation due to its good shear stability. It is also suitable for use in manual gearboxes and clutches. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SM/SL/SJ/SH; JASO MA2

VPE			VPE		
Art. no. 0880470	1 liter	12	Art. no. 0880420	60 liters	1
Art. no. 0880450	5 liters	4	Art. no. 0880410	205 liters	1
Art. no. 0880430	20 liters	1			

Super Bike Engine 4T TS 10W60



Technosynthese 4-stroke motorbike engine oil

Super Bike Engine 4T TS 10W60 is a high-performance low viscosity HC synthetic engine oil for sophisticated air and water-cooled 4-stroke motorbikes. It is characterized by excellent cold start properties and also ensures optimal wear protection during operation due to its good shear stability. It is also suitable for use in manual gearboxes and clutches. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SM/SL/SJ/SH; JASO MA2

VPE			VPE		
Art. no. 0880570	1 liter	12	Art. no. 0880520	60 liters	1
Art. no. 0880550	5 liters	4	Art. no. 0880510	205 liters	1
Art. no. 0880530	20 liters	1			

Super Bike Engine 4T TS 15W50



Technosynthese 4-stroke motorbike engine oil

Super Bike Engine 4T TS 15W50 is a high-performance low viscosity HC synthetic engine oil for sophisticated air and water-cooled 4-stroke motorbikes. It is characterized by excellent cold start properties and also ensures optimal wear protection during operation due to its good shear stability. It is also suitable for use in manual gearboxes and clutches. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SM/SL/SJ/SH; JASO MA2; Aprilia; BMW; KTM

VPE			VPE		
Art. no. 0880770	1 liter	12	Art. no. 0880720	60 liters	1
Art. no. 0880750	5 liters	4	Art. no. 0880710	205 liters	1
Art. no. 0880730	20 liters	1			

Super Bike Engine 4T TS 20W50



Technosynthese 4-stroke motorbike engine oil

Super Bike Engine 4T TS 20W50 is a high-performance low viscosity HC synthetic engine oil for sophisticated air and water-cooled 4-stroke V-Twin engines with a large cylinder capacity.

It is characterized by excellent cold start properties and also ensures optimal wear protection during operation due to its good shear stability.

It is also suitable for use in manual gearboxes and clutches.

The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SM/SL/SJ/SH; JASO MA2; Harley Davidson;
V-Twin Chopper/V-Twin Cruiser

VPE			VPE		
Art. no. 0880670	1 liter	12	Art. no. 0880620	60 liters	1
Art. no. 0880650	5 liters	4	Art. no. 0880610	205 liters	1
Art. no. 0880630	20 liters	1			



Super Bike Engine 4T ES 5W40



4-stroke ester synthetic motorbike engine oil

Super Bike Engine 4T ES 5W40 is a low viscosity ester synthetic engine oil with high shear stability for high-performance on-road and off-road 4-stroke engines. It is characterized by excellent wear protection properties, ensures clean pistons due to its special additive package and protects bearings and cams. It can also be used for manual gearboxes and gears requiring engine oil technology and its balanced friction properties ensure precise clutch actuation/control. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SN/SM/SL/SJ; JASO MA2

VPE			VPE		
Art. no. 0881070	1 liter	12	Art. no. 0881020	60 liters	1
Art. no. 0881050	5 liters	4	Art. no. 0881010	205 liters	1
Art. no. 0881030	20 liters	1			

Super Bike Engine 4T ES 10W30



4-stroke ester synthetic motorbike engine oil

Super Bike Engine 4T ES 10W30 is a low viscosity ester synthetic engine oil with high shear stability for high-performance on-road and off-road 4-stroke engines. It is characterized by excellent wear protection properties, ensures clean pistons due to its special additive package and protects bearings and cams. It can also be used for manual gearboxes and gears requiring engine oil technology and its balanced friction properties ensure precise clutch actuation/control. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SN/SM/SL/SJ; JASO MA2

VPE			VPE		
Art. no. 0881570	1 liter	12	Art. no. 0881520	60 liters	1
Art. no. 0881550	5 liters	4	Art. no. 0881510	205 liters	1
Art. no. 0881530	20 liters	1			

Super Bike Engine 4T ES 10W40



4-stroke ester synthetic motorbike engine oil

Super Bike Engine 4T ES 10W40 is a low viscosity ester synthetic engine oil with high shear stability for high-performance on-road and off-road 4-stroke engines. It is characterized by excellent wear protection properties, ensures clean pistons due to its special additive package and protects bearings and cams. It can also be used for manual gearboxes and gears requiring engine oil technology and its balanced friction properties ensure precise clutch actuation/control. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SN/SM/SL/SJ; JASO MA2

VPE			VPE		
Art. no. 0881470	1 liter	12	Art. no. 0881420	60 liters	1
Art. no. 0881450	5 liters	4	Art. no. 0881410	205 liters	1
Art. no. 0881430	20 liters	1			

Super Bike Engine 4T ES 10W50



4-stroke ester synthetic motorbike engine oil

Super Bike Engine 4T ES 10W50 is a low viscosity ester synthetic engine oil with high shear stability for high-performance on-road and off-road 4-stroke engines. It is characterized by excellent wear protection properties, ensures clean pistons due to its special additive package and protects bearings and cams. It can also be used for manual gearboxes and gears requiring engine oil technology and its balanced friction properties ensure precise clutch actuation/control. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SN/SM/SL/SJ; JASO MA2

		VPE
Art. no. 0881170	1 liter	12
Art. no. 0881150	5 liters	4
Art. no. 0881130	20 liters	1

		VPE
Art. no. 0881120	60 liters	1
Art. no. 0881110	205 liters	1

Super Bike Engine 4T ES 15W50



4-stroke ester synthetic motorbike engine oil

Super Bike Engine 4T ES 15W50 is a low viscosity ester synthetic engine oil with high shear stability for high-performance on-road and off-road 4-stroke engines. It is characterized by excellent wear protection properties, ensures clean pistons due to its special additive package and protects bearings and cams. It can also be used for manual gearboxes and gears requiring engine oil technology and its balanced friction properties ensure precise clutch actuation/control. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SN/SM/SL/SJ; JASO MA2;
Aprilia; BMW; KTM

		VPE
Art. no. 0881370	1 liter	12
Art. no. 0881350	5 liters	4
Art. no. 0881330	20 liters	1

		VPE
Art. no. 0881320	60 liters	1
Art. no. 0881310	205 liters	1

Super Bike Engine 4T ES 20W50



4-stroke ester synthetic motorbike engine oil

Super Bike Engine 4T ES 20W50 is a high-performance low viscosity ester synthetic engine oil for sophisticated air and water-cooled 4-stroke V-Twin engines with lots of power and a large cylinder capacity. It is characterized by excellent heat resistance and also ensures optimal wear and corrosion protection and deposit control during operation due to its very high shear stability. It is also suitable for use in manual gearboxes and clutches. The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SN/SM/SL/SJ; JASO MA2/MA; Harley Davidson;
V-Twin Chopper/V-Twin Cruiser

		VPE
Art. no. 0881270	1 liter	12
Art. no. 0881250	5 liters	4
Art. no. 0881230	20 liters	1

		VPE
Art. no. 0881220	60 liters	1
Art. no. 0881210	205 liters	1

Super Bike Engine 4T TQ 5W40



4-stroke off-road engine oil

Super Bike Engine 4T TQ 5W40 is a high-performance low viscosity HC synthetic engine oil for 4-stroke ATVs and UTVs in the leisure and commercial sectors. It is characterized by excellent cold start properties and also ensures high wear protection when riding in low gears and under extremely heavy loads. Oil-lubricated clutches are also prevented from slipping and sticking and the gears are reliably protected.

The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SM/SL/SJ; JASO MA2; Can-Am; Polaris;
Honda; Suzuki; Yamaha

VPE			VPE		
Art. no. 0881670	1 liter	12	Art. no. 0881620	60 liters	1
Art. no. 0881650	5 liters	4	Art. no. 0881610	205 liters	1
Art. no. 0881630	20 liters	1			

Super Bike Engine 4T TQ 10W40



4-stroke off-road engine oil

Super Bike Engine 4T TQ 10W40 is a high-performance low viscosity HC synthetic engine oil for 4-stroke ATVs and UTVs in the leisure and commercial sectors. It is characterized by excellent cold start properties and also ensures high wear protection when riding in low gears and under extremely heavy loads. Oil-lubricated clutches are also prevented from slipping and sticking and the gears are reliably protected.

The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SM/SL/SJ; JASO MA2; Can-Am; Polaris;
Honda; Suzuki; Yamaha

VPE			VPE		
Art. no. 0881870	1 liter	12	Art. no. 0881820	60 liters	1
Art. no. 0881850	5 liters	4	Art. no. 0881810	205 liters	1
Art. no. 0881830	20 liters	1			

Super Bike Engine 4T TQ 10W50



4-stroke off-road engine oil

Super Bike Engine 4T TQ 10W50 is a high-performance low viscosity HC synthetic engine oil for 4-stroke ATVs and UTVs in the leisure and commercial sectors. It is characterized by excellent cold start properties and also ensures high wear protection when riding in low gears and under extremely heavy loads.

Oil-lubricated clutches are also prevented from slipping and sticking and the gears are reliably protected.

The operating regulations of the engine manufacturer must always be observed.

Can be used with:

API SM/SL/SJ; JASO MA2; Can-Am; Polaris;
Honda; Suzuki; Yamaha

VPE			VPE		
Art. no. 0881770	1 liter	12	Art. no. 0881720	60 liters	1
Art. no. 0881750	5 liters	4	Art. no. 0881710	205 liters	1
Art. no. 0881730	20 liters	1			

Super 2T Off-Road



ester synthetic two-stroke engine oil for enduro and motocross bikes

This ester synthetic two-stroke engine oil equipped with a modern additive package was developed for use in air and water-cooled mixed lubricated and fresh oil-lubricated two-stroke engines with maximum loads and speeds.

It is used particularly in enduro and motocross bikes, where it ensures constant engine performance due to its outstanding wear protection and high shear stability. This oil is also characterized by excellent friction coefficients and very low smoke emissions.

Mixing ratio according to the manufacturer's specifications.

Can be used with:

API TC/TC-W 3; JASO FD | Global GD; ISO-L-EGD;
2-Stroke DFI; Husquarna 272; Piaggio Hexagon

VPE			VPE		
Art. no. 0882470	1 liter	12	Art. no. 0882420	60 liters	1
Art. no. 0882450	5 liters	4	Art. no. 0882410	205 liters	1
Art. no. 0882430	20 liters	1			

Superpower Scooter 1:50



High-performance Technosynthese two-stroke engine oil

This Technosynthese two-stroke engine oil equipped with a modern additive package was developed for use in air and water-cooled mixed lubricated and fresh oil-lubricated two-stroke engines with very high loads and speeds.

It is miscible and creates a homogeneous unit with unleaded fuels which does not segregate at all, even after a long period of use. It can also be used for outboard engines due to its excellent corrosion protection.

Can be used with:

API TC/TC-W 3; JASO FD / Global GD; ISO-L-EGD;
2-Stroke DFI; Husquarna 272

Mixing ratio for every 5 liters of petrol:

1:20 = 250 ml 1:40 = 125 ml
1:25 = 200 ml 1:50 = 100 ml

VPE			VPE		
Art. no. 0460955	100 ml	98	Art. no. 0430030	20 liters	1
Art. no. 0430075	1 liter	12	Art. no. 0430020	60 liters	1
Art. no. 0430050	5 liters	4	Art. no. 0430010	205 liters	1

Superpower Scooter 1:100



High-performance ester synthetic two-stroke engine oil

This high-quality ester synthetic two-stroke engine oil equipped with a modern additive package was developed for use in air and water-cooled mixed lubricated and fresh oil-lubricated two-stroke engines with maximum loads and speeds.

It is miscible and creates a homogeneous unit with unleaded fuels which does not segregate at all, even after a long period of use. It can also be used for outboard engines and two-stroke scooters with/without water cooling due to its excellent corrosion protection.

Can be used with:

API TC/TC-W 3; JASO FD | Global GD; ISO-L-EGD;
2-Stroke DFI; Husquarna 272; Piaggio Hexagon

Mixing ratio: 5 liters 1:100 = 50 ml 4 liters 1:100 = 40 ml
3 liters 1:100 = 30 ml 2 liters 1:100 = 20 ml
1 liters 1:100 = 10 ml

VPE			VPE		
Art. no. 0420075	1 liter	12	Art. no. 0420020	60 liters	1
Art. no. 0420050	5 liters	4	Art. no. 0420010	205 liters	1
Art. no. 0420030	20 liters	1			

Universal Two-Stroke SM



two-stroke mineral oil-based engine oil

Universal Two-Stroke SM is a two-stroke mineral oil-based engine oil for use in air and water-cooled mixed lubricated and fresh oil-lubricated two-stroke engines and motors, such as those installed in lawnmowers, mopeds, scooters, chainsaws, brush cutters, etc. It is miscible and therefore creates a homogeneous unit with unleaded fuels and is normally used with a mixing ratio of 1:25 (oil:fuel) (manufacturer's specifications must be observed).

It largely prevents carbon fouling in the combustion chambers, at the exhaust slots and at the spark plugs.

Can be used with:

API TB; JASO FB; ISO-L-EGB

		VPE			VPE
Art. no. 0450075	1 liter	12	Art. no. 0450020	60 liters	1
Art. no. 0450050	5 liters	4	Art. no. 0450010	205 liters	1
Art. no. 0450030	20 liters	1			



Super Bike Gear PRO 75W



Ester synthetic manual gearbox oil

Super Bike Gear PRO 75W is an ester synthetic manual gearbox oil that enables slip-free operation without loss of torque even under extreme mechanical and thermal loads due to a stable lubricating film and excellent shear stability.

It guarantees minimal wear even with very long oil change intervals and offers excellent shifting comfort.

The manufacturer's specifications must be observed.

Can be used with:

API GL-4

VPE			VPE		
Art. no. 0882570	1 liter	12	Art. no. 0882520	60 liters	1
Art. no. 0882550	5 liters	4	Art. no. 0882510	205 liters	1
Art. no. 0882530	20 liters	1			

Super Bike Gear Extra 80W90



Super High Performance manual gearbox oil

Super Bike Gear Extra 80W90 is a super high-performance GL-4/GL-5 gear oil, for manual gearboxes and axles (in ATVs and UTVs).


It minimises friction loss at maximum power transmission and offers excellent wear protection, making fast and noise-minimised gear shifting possible.

The service life of the gear components is extended through the outstanding lubricating properties even under high thermal loads.

Can be used with:

API GL-4/GL-5; SAE J2360

VPE			VPE		
Art. no. 0882670	1 liter	12	Art. no. 0882620	60 liters	1
Art. no. 0882650	5 liters	4	Art. no. 0882610	205 liters	1
Art. no. 0882630	20 liters	1			



Super Bike Fork Oil-Series



Fork and shock absorber oil

The fork and shock absorber oil from the Super Bike Fork Oil series was specifically developed for universal use in forks and shock absorbers for on-road and off-road motorbikes, ATVs, UTVs, mopeds and other bikes.

The friction modifiers minimise the energy loss caused by friction and guarantee the efficiency of the forks and shock absorbers.

They offer maximum performance and improve response and performance behaviour with consistent damping, even under heavy loads.

It prevents possible foaming and guarantees a long service life due to the high corrosion and wear protection.

Can be used with:

DIN 51524-3

Fork Oil 2,5 W		VPE
Art. no. 0882770	1 liter	12
Art. no. 0882750	5 liters	4
Art. no. 0882730	20 liters	1
Art. no. 0882720	60 liters	1
Art. no. 0882710	205 liters	1

Fork Oil 5 W		VPE
Art. no. 0882870	1 liter	12
Art. no. 0882850	5 liters	4
Art. no. 0882830	20 liters	1
Art. no. 0882820	60 liters	1
Art. no. 0882810	205 liters	1

Fork Oil 7,5 W		VPE
Art. no. 0882970	1 liter	12
Art. no. 0882950	5 liters	4
Art. no. 0882930	20 liters	1
Art. no. 0882920	60 liters	1
Art. no. 0882910	205 liters	1

Fork Oil 10 W		VPE
Art. no. 0883070	1 liter	12
Art. no. 0883050	5 liters	4
Art. no. 0883030	20 liters	1
Art. no. 0883020	60 liters	1
Art. no. 0883010	205 liters	1

Fork Oil 15 W		VPE
Art. no. 0883170	1 liter	12
Art. no. 0883150	5 liters	4
Art. no. 0883130	20 liters	1
Art. no. 0883120	60 liters	1
Art. no. 0883110	205 liters	1

Fork Oil 20 W		VPE
Art. no. 0883270	1 liter	12
Art. no. 0883250	5 liters	4
Art. no. 0883230	20 liters	1
Art. no. 0883220	60 liters	1
Art. no. 0883210	205 liters	1



EMKA Brake Cleaner



Degreaser and precleaner

EMKA Brake Cleaner is the ideal aid for effortless cleaning and degreasing. Due to the high evaporation speed, an optimal cleaning effect is achieved after a short time.

The brake cleaner acts immediately and dries quickly without leaving any residues, thus ensuring fast repair and assembly. It is mainly used for removing and cleaning metal surfaces and glass. Paints and plastics can be attacked so test them beforehand in a concealed spot.

Shake the can well before use, then spray the brake cleaner onto the contaminated area and allow it to drain off. If there is heavy contamination, repeat the process.

Can be used with:

Can be used on all metallic surfaces and glass

VPE			VPE		
Art. no. 8008095	500 ml	12	Art. no. 8302022	60 liters	1
Art. no. 8302052	5 liters	4	Art. no. 8302010	200 liters	1
Art. no. 8302042	20 liters	1			

EMKA Clear Chain Spray



For internal and external lubrication of chains

EMKA Clear Chain Spray is a synthetic and highly active lubricant and anti-friction agent for highly stressed chain drives. It withstands all weather conditions even under maximum loads and ensures long-term lubrication due to its extreme creep capability, even in the narrowest of gaps. A highly adhesive lubricating film remains after the solvent has been vented. Due to the very high adhesion, the chain spray is also not thrown off even by fast-rotating chains.

Remove any grease residues with EMKA Brake Cleaner before use. Shake the can intensively before use. Spray anti-friction surfaces amply from a distance of approx. 20 cm, leave the cleaner to take effect and spray them again if necessary.

The resulting foam is important for external lubrication while penetration occurs below. Temperature range: -30°C to +200°C.

Can be used with:

Motorbike, bike, roller chains; roller and ball bearings; stranded wires and O-rings; gear drives and worm gears; all types of joints and couplings

VPE		
Art. no. 8016055	400 ml	12

EMKA PTFE Grease Spray



Synthetic spray grease with a PTFE additive

EMKA PTFE Grease Spray is a synthetic adhesive lubricant mixed with PTFE for highly stressed parts. The PTFE grease spray withstands all weather conditions even under maximum loads and ensures long-term internal and external lubrication due to its extreme creep capability.

It is used for the permanent lubrication of bearings, gear drives and worm gears, roller and ball bearings, stranded wires, joints and couplings and much more. Shake the can intensively before use. Clean the parts to be sprayed with EMKA Brake Cleaner, spray them in a targeted manner, leave the cleaner to take effect and spray them again if necessary. Temperature range: -40°C to +200°C.

Can be used with:

Bearings and stranded wires; roller and ball bearings; gear drives and worm gears; all types of joints and couplings

VPE		
Art. no. 8015055	400 ml	12

EMKA Rust Remover with MoS2



Multifunctional rust remover with a graphite additive

EMKA Rust Remover with MoS2 dissolves rusty connections at lightning speed and ensures additional lubrication and water displacement through the combination with graphite.

Due to the very good capillary effect, even deeper and hard-to-reach areas are easily reached. Movable parts remain smooth-running and are permanently protected against corrosion. The graphite additives contained in the product also prevent seizure when loosening or tightening.

Shake the can well before use and spray the parts to be treated in a targeted manner from a distance of approx. 25-30 cm.

Then allow the active ingredient to briefly take effect.

Repeat the process if necessary.

Can be used with:

For all rusty connections

VPE

Art. no. 8009094	400 ml	12
------------------	--------	----



emka®



Your specialized trade partner

EMKA Schmiertechnik GmbH
Schmalbachstrasse 19
74626 Bretzfeld-Schwabbach
Germany

Phone +49 7946 94 470-0
E-Mail info@emka-oil.de

www.emka-oil.de